

PoolCo USA

MEASURING FORM

2017

COMPANY NAME _____ PHONE NO. _____ - _____ - _____

ADDRESS _____ FAX NO. _____ - _____ - _____

CITY _____

SUBMITTED BY _____ JOB NAME _____

- STANDARD COVER
 BRASS ANCHORS
 ALUMINUM STAKES
WOOD DECK ANCHORS AVAILABLE

- LIGHT WEIGHT SOLID
COLOR DARK BLUE
 DARK GREEN
PLEASE SPECIFY WHEN ORDERING

- MESH COLORS AVAILABLE:
 GREEN BLACK/STANDARD
 BLUE BLACK
 COMMERCIAL BLACK MESH

ANSWER ALL QUESTIONS IF OBSTRUCTIONS ARE NOT REMOVABLE AND ARE WITHIN THREE FEET OF WATER LINE.

LADDERS: How far do rails extend into pool? _____
What is the distance from water edge to placement in deck? _____
What is distance between rails? _____

HANDRAILS: How far does handrail extend into pool? _____
What is distance from waters edge to placement in deck? _____

GRABRAILS: Distance from waters edge to placement in deck? _____

FILL SPOUT: Distance from waters edge to placement in deck? _____

SLIDE LEGS: Distance from waters edge to placement in deck for each leg? _____

DIVING BOARD STAND: Distance from waters edge to diving stand? _____

**FOR ALL OTHER OBSTRUCTIONS THAT ARE NOT REMOVABLE
(RAISED SPAS, WALLS, PLANTERS, ETC.), DRAWINGS AND A-B
DIMENSIONS MUST BE SUPPLIED. PHOTOS ARE RECOMMENDED.**

MEASURING INSTRUCTIONS

2017

- Using chalk make a mark at edge of coping, three feet apart around perimeter of pool.
- Number each mark, be certain to number all non-moveable objects, example slide legs, diving board Etc.
- Establish two points A and B, roughly three feet from water line of pool at least half the length of the pool in distance. **DO NOT ALLOW LINE BETWEEN POINT A AND B TO CROSS WATERS EDGE.**
- Now measure the distance between point A and point 1, then point A and point 2 and so on. Once completing, then measure the distance between point B and point 1 and so on.
- Now measure the widest point of the pool and mark that and the point numbers on the sheet.
- Now measure the longest point of the pool and mark that and the point numbers on the sheet.

PoolCo USA

2017

Establish two points, A and B, a minimum of three feet from pool, not crossing water and at least half the length of the pool in distance. Mark distance between A & B _____

Sketch pool and show location of point A and B to pool and any areas with less than four feet for deck to waters edge.

	A	B		A	B		A	B
1			21			41		
2			22			42		
3			23			43		
4			24			44		
5			25			45		
6			26			46		
7			27			47		
8			28			48		
9			29			49		
10			30			50		
11			31			51		
12			32			52		
13			33			53		
14			34			54		
15			35			55		
16			36			56		
17			37			57		
18			38			58		
19			39			59		
20			40			60		

TYPE OF POOL
 GUNITE _____
 VINYL _____
 OTHER _____

OVERALL ALL LENGTH
 PT _____ TO _____
 PT _____ IS _____

OVER ALL WIDTH
 PT _____ TO _____
 PT _____ IS _____

COMPANY NAME _____ JOB NAME _____